

CATALOG AND PARTS LISTING FOR THE TEAM ASSOCIATED RC10T3 TRUCK KITS





used	part #	description	qty	price	used	part #	description	qty	price
by			2000		by		^-	2000	

# 1:10 RC10T3 OFF ROAD TRUCK CATALOG

CATALOG #10T3

Jan 1998

This free catalog is updated yearly; is yours current?

Prices subject to change without notice.

If you cannot obtain parts from your distributor or dealer, you may order them directly from us.

(We're sorry, you cannot order car kits from us.)

For the latest in new products and online help, visit

## http://www.rc10.com

# ORDERING INSTRUCTIONS

- Write out order on separate sheet of paper if Order Form is missing. Include part no., quantity, and price of each item. Include your phone no., full name and return address. DO NOT SEND CASH.
- California residents only add sales tax: 7.75% in Orange County, 6.25% elsewhere.
- Add shipping fee of \$4.25 to all orders, except for faster Red, Orange & Blue Label services and international orders, which require extra charges.
- C.O.D. fee is \$4.75 (C.O.D. = "Collect On Delivery")
- All international orders must be prepaid by International Money Order in US funds.
- 6. Mail order to:

Associated Electrics, Inc. 3585 Cadillac Ave. Costa Mesa, CA 92626 USA

 Or call (714) 850-9342. Please have your order ready before calling. Or FAX: 714-850-1744. Include your phone no., full name and return address.

#### TO OUR CUSTOMERS

The letter code in the left hand column tells you which parts are standard with which kits. For explanation of the code, see bottom page footer notes.

	TRUCK KITS		
	See the Associated Kits guide for complete kit details		
7003	RC10T3 BASIC TRUCK KIT, Basic sport bushing kit but without the mechanical speed control and kit motor. Less radio and battery.	1	230.00
7013	RC10T3 SPORT TRUCK KIT, with mechanical speed control, kit motor, bronze bushings, 2.40:1 Stealth transmission, less radio and battery	1	275.00
7037	RC10T3 TEAM TRUCK KIT, including new ball bearing 2.40:1 Stealth Transmission. Less battery, radio and all electrical.	1	340.00


## ELECTRONIC SPEED CONTROLS

Associated is the exclusive importer for North and South America of the LRP digital electronic speed control. It uses a miniature digital computer that results in a state-of-theart speed control that surpasses every other type available.

	art speed control that surpasses every other type available.		
LRP 8067	LRP IPC DIGITAL ELECTRONIC SPEED CONTROL, winning speed control for both 2WD & 4WD at the 1995 IFMAR 1:10 Off Road World Championships, and 1996 IFMAR 1:10 On Road World Championships. One button setup. Adjustable braking or drag brake options. Selectable power curve and current limiter options.	1	239.50
LRP 8304	LRP RUNNER electronic speed control, forward, reverse, EMK brake, w/thermal protection. Recommended motor: 20 turn or higher wind motor	1	79.95
LRP 8317	F1 DIGITAL electronic speed control, forward, reverse, EMK brake, w/ thermal protection. Recommended motor: 16 turn or higher wind motor.	1	99.50
LRP 8322	F1 POWER DIGITAL electronic speed control, forward, reverse, EMK brake, with thermal protection and adj. current limiter. Recommended motor: 12 turn or higher wind motor.	1	132.00
LRP 8335	F1 BULLET DIGITAL electronic speed control, forward reverse, EMK brake, with thermal protection and adj. current limiter. Recommended motor: No Limit.	1	175.00
LRP 8341	SPRINTER electronic speed control, forward, EMK brake, with adjustable current limiter & thermal protection. Recommended motor: stock motor.	1	79.95
LRP 8346	INDY 200 DIGITAL electronic speed control, forward, EMK brake, with adjustable current limiter & thermal protection. Recommended motor: 13 turn or higher wind motor.	1	99.50
LRP 8357	INDY 400 DIGITAL electronic speed control, forward, EMK brake, with adjustable current limiter & thermal protection. Recommended motor: 11 turn or higher wind motor.	1	132.00
LRP 8361	INDY 600 DIGITAL electronic speed control, forward, EMK brake, with adjustable current limiter & thermal protection. Recommended motor: no motor limit.	1	164.00

# BODIES & ACCESSORIES


See Associated's Pictorial Catalog for fullcolor pictures T3 FORD F-150 TRUCK BODY 6139 18.00 6180 DRIVER, clear 2.00 WING MOUNTS, adjustable (Wing-Things) 1.75 6190 SUPER WING THINGS, aluminum. Fits .065" 3.50 6193 pr and .078" wire TRUCK REAR SPOILER 2.00 7185 REEDY CAR WASH. Great for cleaning gas 12 72.00 711 and electric cars and bodies. Lexan safe and biodegradable. Not for electrical components. 4 oz. bottles sold in cases of 12 only. Price



## reflects \$6.00 per bottle. (Purchase individual bottles at your hobby shop or race track.)

### **DECALS & STICKERS**

See Associated's Pictorial Catalog for fullcolor pictures




all	7199	RC10T3 DECAL, kit body decal sheet, 4 color	1	4.00
	3814	RC10T3 DECAL, 3 sizes of RC10T3, florescent red and yellow	1	2.00
	6196	DECAL SHEET, Assoc. Car & Brands Logos, misc. sponsors, 4 colors	1	2.00
	3817	ASSOCIATED BUMPER STICKER, 1 large, 1 small. Red, white & blue.	1	4.00
	3818	TEAM ASSOCIATED logo decal sheet, black	1	1.00
	3819	TEAM ASSOCIATED logo decal sheet, white	1	1.00

WHEEL DOTS. Reusable coated Mylar Wheel Dots for your buggy and truck wheels. 2.31" dia. 4 dots per package

		2.01 dia., 4 dois per package		
all	6855	WHEEL DOTS, fluorescent pink	4	2.00
all	6856	WHEEL DOTS, fluorescent red	4	2.00
all	6857	WHEEL DOTS, fluorescent green	4	2.00
all	6858	WHEEL DOTS, fluorescent yellow	4	2.00


### **FRONT SUSPENSION**



all	7205	T3 FRONT SUSPENSION ARMS, molded composite, will not fit older trucks	pr	7.00
	7204	T3 FRONT SUSPENSION ARMS, molded Carbon Fiber composite, will not fit older trucks	pr	10.00
all	9110	FRONT INNER HINGE PIN, w/E-clips	2	5.00
all	9115	FRONT OUTER HINGE PIN, w/E-clips	2	3.00
all	9120	T3/B2 FRONT CROSS BRACE, steel	1	1.50
all	9125	T3/B2 FRONT BULKHEAD	1	4.00
all	9130	T3/B2 FRONT TOP PLATE, molded composite	1	5.00
	9131	T3/B2 FRONT TOP PLATE, molded Carbon Fiber composite	1	8.00
all	7218	T3 FRONT SHOCK STRUT, composite	1	8.00

	7219	T3 FRONT SHOCK STRUT, carbon fiber	1	12.00
all	7223	T3 FRONT ARM SHOCK MOUNT, molded composite	2	2.00
all	7210	T3 FRONT BLOCK CARRIER, 30° caster	pr	3.00
	7212	T3 FRONT BLOCK CARRIER, 25° caster	pr	4.50
all	7211	T3 KINGPPIN BALL END	2	4.00
all	7220	T3 FRONT STEERING BLOCK	pr	2.00
all	7221	T3 FRONT AXLE, aluminum, w/6222 nuts	2	6.00
all	6272	FOAM BALL END DUST COVER	28	2.00
all	6273	BALL END,.17 ball male 4-40 thread, .10" longer thread than #6270, with cups and nuts	2	2.50
all	9145	BALL END, long thread (low profile black) with nuts and plastic ball end cups.	pr	3.00
d	7217	SHOCK ROD END, nylon w/plastic pivot ball	2	3.00
all	7230	PLASTIC BALL END CUPS, molded	12	5.00
all	7253	TURNBUCKLE, Tie Rod, 2.620*	pr	3.00
all	6292	FLAT HEAD Socket Screw, 4-40 X 3/8"	6	2.00
all	6922	FLAT HEAD Socket Screw, 4-40 X 1/2"	6	2.00
all	6923	FLAT HEAD Socket Screw, 4-40 X 3/4"	6	2.00
all	6918	BUTTON HEAD Socket Screw, 4-40 X 1/2"	6	2.00
all	6222	LOCKNUT, black nylon for 4-40/5-40 threads, self threading	8	2.00
all	7260	NUTS, 4-40, plain, small pattern	12	2.00

# LINKAGE & HARDWARE



all	9155	T3/B2 SERVO SAVER, plastic parts only	set	3.50
all	9156	SERVO SAVER HUB, threaded. Replaces # 7258	1	2.50
all	9157	SERVO SAVER SPRING & ADJUSTING NUT. Replaces #7257	1	2.00
all	9160	T3/B2 SERVO SAVER & BELLCRANK PINS	2	3.00
all	9165	T3/B2 STEERING DRAG LINK, molded	1	2.00
all	9170	T3/B2 ADJUSTABLE SERVO LINK, 4-40 x 1/2" set screw with special plastic ball cups	1	2.00
	9162	T3/B2 OPTIONAL STEERING BELLCRANK BEARINGS, 1/8 x 1/4" flanged ball bearing. (replaces bushings in right side bellcrank)	2	15.00
all	9180	SERVO HORNS, molded (1 ea. Fits Airtronics, Futaba, or JRpropo)	1	2.50
all	6270	BALL END,.17 ball male 4-40 thread, with cups and nuts. Stainless steel.	2	2.50
	6271	BALL END, 17 ball male 4-40 thread, with cups and nuts. Stainless steel.	12	10.00
all	6273	BALL END, 17 ball male 4-40 thread, .10* longer thread than #6270, with cups and nuts. Stainless steel.	2	2.50
all	6272	FOAM BALL END DUST COVER	28	2.00
all	7253	TURNBUCKLE, Upper Control Rod, Tie Rod, 2.620"	2	3.00
	7254	TURNBUCKLE, "Adjustable Tie Rod" Set 8 turnbuckles, 16 ball cups	set	16.00

<sup>\*</sup>non-standard discount item.

VIII VIII					_			I average and the second secon	1	
used	part #	description	qty	price		used by	part #	description	qty	price
all	7336	STEERING SERVO MOUNT KIT, molded	set	2.50	7			Carbon Fiber composite		
-11	7007	mounts, spacers, screws & washers	4	1.00	-	all	6929	SOCKET HEAD Cap Screw, 4-40 x 3/8"	4	2.50
all	7337	STEERING SERVO MOUNT WASHERS, steel gold colored	4	1.00				w/hole		
all	9215	FLAT HEAD Machine Screw, 6-32 x 3/16"	6	1.50				REAR SUSPENSION		
all	6918	BUTTON HEAD Socket Screw, 4-40 x 1/2"	6	2.00					92	en
all	7673	FLAT HEAD Socket Screw, 4-40 x 5/16"	6	2.00	$\Box$		1_	9263		.00
all	6292	FLAT HEAD Socket Screw, 4-40 x 3/8"	6	2.00	_			7349	7054	(2)
all	6922	FLAT HEAD Socket Screw, 4-40 x ½"	6	2.00	$\dashv$	1 1			, 7351	9
all	6923 6927	SOCKET HEAD Cap Screw, 4-40 x ¾"	6	2.00	-	ہے ا		7339, 7340	//	
all	6936	ALUMINUM FLAT WASHER, #4	10	1.00	╛	\ <u>~</u>		7369 7383, 9268		
all	6295	NUTS, 4-40, 6 each plain, lock, and nylon	18	2.00		m	7379		79	$\bigcirc$
all	7260	NUT, 4-40, plain, small pattern	12	2.00			7380	7381 7381 7381 7366 7377 7368	/ t	7359 bearing
all	6299	E-CLIP for 1/8" shafts	12	1.00	_			1/32 1/16 1/8 O	=O t	7360 oushing
		CHASSIS PARTS			1	6906		6374		
			_		. [			o) 6272 6466 spacers 6388 637	2	7217
		6332	,				230	6273 (A) 3438 (A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B		$\bigcirc$
/		/ °   °		0		M		7413 9269 3438 4 7 2 6 6373 637	5 7	7217
1		7302,	پــاا	000				7253		
		7304	] 9	220		alli	7340	T3 REAR SUSPENSION ARMS, molded	pr	7.00
	٠,		_	70		Cann.	7010	composite	ρ.	7.00
6338	V	7330, 7331					7339	T3 REAR SUSPENSION ARMS, molded	pr	10.00
П	6338	<u> </u>			-			Carbon Fiber composite		
		6338	933	8		all	7341	T3 REAR ARM SHOCK MOUNT, molded	pr	2.00
1	6338	7321 // 7337	_	_		all	9260	T3/B2 REAR INNER HINGE PIN, w/E-clips	pr	3.00
6	<u> </u>	7320	7336	0_0		all	9263	T3/B2 REAR OUTER HINGE PIN, w/E-clips	pr	2.50
_	180		,,,,,,	, 7330 <b>—9</b>		all	9267	T3/B2 REAR SUSPENSION MOUNTS, 3°	pr	2.00
		· ( o 0) ~	6	<b>a</b> /		_		toe-in (per side) & 3° of anti squat.		
6929	_	9241	938	30, 9381			9268	T3/B2 REAR SUSPENSION MOUNTS, 3°	pr	2.00
		9245			_	all	7351	toe-in (per side) & 0° of anti squat.  T3 REAR SHOCK STRUT, molded composite	1	5.00
all	7302	T3 CHASSIS, molded composite	1	25.00		CALL	7349	T3 REAR SHOCK STRUT, molded Carbon	1	8.00
	7304	T3 CHASSIS molded Carbon Fiber composite	1	45.00				Fiber composite		1.500 (0.00)
all	9210	T3/B2 FRONT KICKUP, aluminum, black	1	7.50		all	7366	T3 REAR HUB CARRIER, 0° toe-in, molded	pr	3.50
all	9220	T3/B2 FRONT BUMPER	1	2.50	+	$\vdash$	7379	CVD (Constant Velocity Drive) Bone, for T2	1	11.50
all	7330	T3 BATTERY HOLD DOWN STRAP, molded	1	3.00	$\dashv$		1313	or GT		11.50
		composite					7380	CVD 3/16" Axle	1	8.00
	7331	T3 BATTERY HOLD DOWN STRAP, molded	1	5.00			7381	CVD Rebuild Kit (for two axles)	set	
	0005	Carbon Fiber composite		0.00	-		7383	MIP CVD's, new re-build able universal axles.	pr	35.50
all	9235	T3/B2 BATTERY PADS, adhesive foam pads for sides and bottom of battery slot	set	3.00		all	6906	Also fits T2 & GT (replaces #7367 axles)  BALL BEARING, 3/16" X 3/8" unflanged	pr	13.00
all	9238	T3/B2 BATTERY PADS, foam pads for	2	2.00	7	d	7377	REAR AXLE BEARING SPACER, aluminum	2	1.50
(20)	/SCANSON	spacing battery to adjust weight bias		Charles Charles	_	1000	10000	(fits 3/16" rear axle)	1075	100000
all	6338	ANTENNA KIT	1	2.00	_	all	7368	3/16" I.D. X .010" REAR AXLE SHIMS, fits	14	1.50
	6312	CLEAR CHASSIS PROTECTIVE SHEET to	1	8.50	- 1		7000	#7367 axles		4.00
all	7321	protect the chassis finish, 6 1/2" X 18" T3 FRONT BODY MOUNT	1	4.00	$\dashv$	all	7369 6374	AXLE ROLL PINS, fits #7367 and CVD axles	4	1.00 5.00
all	7320	BODY MOUNT WASHER, large nylon	4	.75	$\dashv$	all	03/4	REAR STUB AXLE with roll pin (fits only #7359 bearing or 7360 bushing)	18	3.00
all	6332	HOOD PIN, (body pin or clip)	6	.75		all	6373	1/4" REAR AXLE SHIM & SPACER for #7362	14	1.50
all	7336	SERVO MOUNT KIT, plastic parts, spacer	set	2.50				and 6371 axles	1.1000	
	me ==	and screws		4.00		all	6375	ROLL PIN for stub axle (fits only #6374, 7362	6	.75
all	7337	SERVO MOUNT WASHERS, steel (gold)	4 set	1.00	$\dashv$	all	7361	DOGBONE (rear half shaft)	1	7.00
	9180	SERVO HORNS, 1 ea. Airtronics, Futaba, Jrpropo	Set	2.30		all	7359	BALL BEARING, 1/4" X 3/8" unflanged. Fits	pr	15.00
all	9241	T3/B2 REAR CHASSIS PLATE, aluminum,	1	9.00	$\neg$	1999	(A.0)(-0.1)	#6374 and 7362 axles	1155	(3,000,000)
124	175	black hard anodized			_	all	7360	1/4 X 3/8" UNFLANGED BUSHING. Fits	4	2.00
all	9245	T3/B2 MOTOR MOUNT, aluminum, black	1	6.00		-10	0070	#6374 and 7362 axles		75
all	0200	T3/R2 TRANSMISSION BRACE molded	1	4.00	$\dashv$	all	6372	CONE WASHER 1/4" Y 400 Y 006	4	.75
all	9380	T3/B2 TRANSMISSION BRACE, molded composite	l'	4.00		all	6388 6466	CONE WASHER, 1/4" X .400 X .006 SHOCK DOWNSTOPS, (travel limiters),4 ea.	4 set	1.00
	9381	T3/B2 TRANSMISSION BRACE, molded	1	6.00		an	0,00	of 3 sizes 1/8" (.125"), 1/16" (.062") and 1/32"	361	1.50
	-		-				-		-	

<sup>\*</sup>non-standard discount item.

· C.

used by	part #	description	qty	price	used by	part #	description	qty	price
-		(.031"). Also used as hub carrier spacers.			all	6575	DIF THRUST BOLT, Thrust Bearing Cover,	set	2.00
all	7253	TURNBUCKLE, Upper Control Rod, Tie Rod,	2	3.00			Dogbone Spacers & Locking T-nut		
	Devices pages	2.620"	75.765	1770-1770-	all	6581	CARBIDE DIF BALL, large 3/32"	12	12.00
all	7230	PLASTIC BALL END CUPS, molded	12	5.00	all	6582	DIF THRUST SPRING	1	1.50
all	6272	FOAM BALL END DUST COVER	28	2.00	all	6588	BLACK GREASE	1	2.50
all	6273	BALL END, STAINLESS STEEL .17 ball male	2	2.50	all	6591	STEALTH DIF LUBE	1	2.50
		4-40 thread, .10" longer thread than #6270,			all	6563	COMPLETE TRANNY BALL BEARING SET	1	52.00
		with cups and nuts			С	6589	BALL BEARING, 5/32 X 5/16 unflanged	pr	13.00
all.	7217	SHOCK ROD END, nylon w/plastic pivot ball	2	3.00	C	6903	BALL BEARING, 3/8" X 5/8" unflanged,	pr	20.00
all	6918	BUTTON HEAD Socket Screw, 4-40 x 1/2"	6	2.00			Teflon sealed		
all	7413	BUTTON HEAD Socket Screw, 4-40 x ¾"	6	2.00	С	6906	BALL BEARING, 3/16" X 3/8" unflanged	pr	13.00
all	9269	FLAT HEAD Socket Screw, 5-40 x ½"	6	2.00	a,b	6595	COMPLETE BUSHING SET FOR STEALTH	1	5.00
all	3438	ALUM. LOCKNUT, 8-32 (standard height)	3	1.50	<u> </u>		TRANSMISSION	-	4.00
all	7260	NUT 4-40, plain, small pattern	12	2.00	a,b	6597	BUSHING, 5/32" X 5/16", unflanged	2	1.00
all	6299	E-CLIP for 1/8" shafts	12	1.00	a,b	6598	BUSHING, 3/8" X 5/8", unflanged	2	1.50
		STEALTH			all	6599	BUSHING, 3/16" X 3/8", unflanged	4	2.00
		TRANSMISSION			all	6571	DRIVE GEAR/SHAFT ASSEMBLY, roll pin	1	9.00
		TRANSMISSION			d	7669	DRIVE SHAFT/GEAR SPACER. (Fits	6	2.00
							B2/T2/T3 AND RC10GT)	-	4.00
	(				all	6572	DRIVE SHAFT ROLL PIN	6	1.00
. 1	9353	201 B 9361 B A A		))	all	9251	TORQUE CONTROL HUB, inner	1	7.50
				/	all	9252	TORQUE CONTROL HUB, outer	1	7.50
		9360	9367	7	all	9253	T3 CLUTCH DISC	1 .	3.00
		6569 000000 9365		_	all	6594	THRUST BEARING WASHER, replaces	set	2.00
(((	((())	6573 6574	2270	_			#6586 thrust bearing	0.000	4.50
21		/ // 5/04 balls	9370		all	6587	TORQUE CONTROL SPRING & LOCKNUT	set	1.50
0			m		50	0000	(5-40)	-	4.00
		6575 6575 3/32" balls 6	582	一日	all	6629	LOCKNUT, 5-40 for torque control	6	1.00
	ST ST	EALTH DIFF LUBE E BLACK G	RFA	SF 🗏	all	9245	T3/B2 MOTOR PLATE, aluminum, black anodized	1	6.00
$\overline{}$	$\overline{}$				all	7373	MOTOR PLATE GASKET, neoprene, fits B2,	1	1.50
(O)	) (O) <sup>6</sup>	6903 6588	)		aii	/3/3	T2 and T3.	1.	1.50
6906 bearin	6589	bearing 0 7669 5pace 571	65 ers	72	all	9247	T3/B2 GEAR DUST COVER, w/black insert	1	1.50
6599	6597 ng bushing				l	9248	T3/B2 GEAR DUST COVER, fits Losi Hydra	1	1.50
DUSTIII	ig bushing					3240	Drive or Schumacher Viscous Drive, w/black		1.50
		$\bigcirc \bigcirc $	<u>ි</u>				insert button		
1	$\approx$ )	( SEQUE 6587 6587 6587 6	629		all	9380	T3/B2 TRANSMISSION BRACE, molded	1	4.00
	⊕ )	11 - // // //	0		l	Value book	composite		
1	9251	9252 washer	0	- /2	П	9381	T3/B2 TRANSMISSION BRACE, molded	1	6.00
<b>P</b>	$\equiv$	9 ( ) ( )	(	) )	-		Carbon Fiber composite	-	0.00
7		380, (		0/	<b> </b>	6292	FLAT HEAD Socket Screw, 4-40 X 3/8"	6	2.00
1000	0 0 9	1 0 1 7373	0 0	7	l	7874	SOCKET HEAD Cap Screw 4-40 X 7/16"	8	2.50
mmm	мининининин	9247 gasket	٠	9245	l —	6928	SOCKET HEAD Cap Screw, 4-40 X 1"	6	2.00
	6928				all	6568	SPUR GEAR SCREW, 4-40 x 3/16"	4	1.50
(	CO (010011)	6202 7074 6560			l	0500	B.H.S.Screw	-	0.50
11 69	950 (3/32"),	6950 (5/64"),1			all	6592	ALLEN WRENCH SET	set	2.50
Ш		6950 (1/16"),1	_	1	11		WHEELS & TIRES		
П		U     0930 (.030 ).1					See Associated's Pictorial Catalog		
		L U			11		for pictures		
all	9350	T3/B2 2.40:1 STEALTH TRANSMISSION	1	120.00			REAR WHEELS & TIRES	A324	90-
all	9330	KIT, with ball bearings & Associated Torque		120.00		7800	REAR WHEEL, 3 piece, with screws (fits only	pr	7.00
		Control					#6374 or #7362 axles)	124	
all	9352	T3/B2 TRANSMISSION CASE, 2.40:1 (right	set	9.00		7800B	TRUCK REAR WHEEL, 3 piece, 2.2", black	pr	7.00
an	3002	& left sides w/motor plate spacers)	000	0.00			(fits only #6374 or #7362 axles)		
	6569	MOTOR PLATE SPACER & END CAP	set	1.50	a,b	7800Y	TRUCK REAR WHEEL, 3 piece, 2.2", flor.	pr	7.00
all	9360	T3/B2 IDLER GEAR, molded	1	2.00	1		yellow (fits only #6374 or #7362 axles)	$\perp$	
all	9361	T3/B2 IDLER GEAR SHAFT	1	2.00	a,b	6926	SOCKET HEAD Cap Screw 4-40 X 5/8"	6	2.00
all	9365	T3/B2 DIFF GEAR, 2.40:1	1	2.50	11	7801	SOCKET HEAD Cap screw, 4-40 X 5/8",	8	2.50
all	9367	T3/B2 DIFF DRIVE RINGS, 2.40:1	2	1.50	1 📖		aluminum		
all	9370	T3/B2 LEFT DIFF OUTDRIVE HUB, 2.40:1	1	7.50	11	7802	REAR WHEEL, one piece, lightweight (fits	pr	7.00
all	9375	T3/B2 RIGHT DIFF OUTDRIVE HUB, 2.40:1	1	7.50	1		only #6374 or #7362 axles)	N.00	
all	6573	DIF THRUST WASHER	2	3.00	11	7802B	TRUCK REAR WHEEL, 1 piece, 2.2", black	pr	7.00
un	6574	PRECISION THRUST BALL, 5/64" (replaces	6	2.00	1		(fits only #6374 or #7362 axles)		
all	DD ///						TRUCK REAR WHEEL, 1 piece, 2.2", flor.		7.00

<sup>\*</sup>non-standard discount item.

<sup>\*\*</sup> denotes net or short discount.

used by	part #	description	qty	price		used by	part #	description	qty	price
		yellow (fits only #6374 or #7362 axles)			11			CHOCKE		
	7803	T3/T2 TRUCK REAR WHEEL, 1 piece, 2.2"	pr	7.00	11			SHOCKS		
	,,,,,	(only fits #7367 or #7383 CVD rear axles)	Ρ.	1.00	П		<b>-</b>			
	7803B	T2 TRUCK REAR WHEEL, 1 piece, 2.2"	pr	7.00	11	0				
		black (only fits #7367 or #7383 CVD rear			П	6	428	7411, 7410 6425, 6436		
•	7803Y	T2 TRUCK REAR WHEEL, 1 piece, 2.2" flor.	pr	7.00	H	6				
С	70031	yellow (only fits #7367 or #7383 CVD rear	ρı	7.00	П	540	W //		76	
		axles)			П			6440 6440 (8846) (8846)	7	
С	7822	T2 REAR TIRE, ProLine XTR M-2 compound	pr	17.95	11		-		5 (#1,#	2,#3)
		"Mini Pin" pattern w/foam inserts. 2.2"	75		П		1/8*, 1/16	58, 6416 6459, 6417		
a,b	7823	T2 REAR TIRE, XTR "Stubby T" pattern.	pr	16.95	П	(	പ്പ് പ്	1 - 6 (64/4)/(577)	6474	.))
_	7000	Replaces #7820 kit tire		0.00	łΙ		90 1			
С	7880	TRUCK TIRE INSERT, white TRACTION ACTION TIRE SPRAY. Increases	pr	2.00	łl	m	6466	7217 6439	0	6
	6859	traction and life of tire. 4 oz. bottles sold in	ca	72.00	П				/ <b>`</b>	
	1	cases of 12 only. Price reflects \$6.00 per	36		П	64	173 69	27 6918 7413 6936 6222 6295 62	90 04	295
		bottle. (Purchase individual bottles at your			П			GOLD. ASSOCIATED'S STANDARD		
		hobby shop or race track.)			П			SHOCKS (#6420-#6429) ARE PRECISION		
		WIDE FRONT WHEELS & TIRES			] [			MACHINED TO VERY CLOSE		
	7840	WIDE FRONT WHEEL, 3 piece, with screws	pr	7.00	П			TOLERANCES.		
	7840B	TRUCK FRONT WHEEL, 3 piece, 2.2", black	pr	7.00	П	a,b	7409	SHOCK KIT, rear, 1.39" body w/1.32 shaft,	pr	25.00
a,b	7840Y	TRUCK FRONT WHEEL, 3 piece, 2.2",	pr	7.00	Н		2404	gold anodized, fits T3		
		florescent yellow	_		41	a,b	6421	SHOCK KIT, front, 1.02" body & shaft, gold anodized, fits all trucks	pr	25.00
a,b	6926	SOCKET HEAD Cap Screw 4-40 X 5/8"	6	2.00	┨╏	a,b	7411	SHOCK BODY, rear, 1.39" gold anodized, fits	1	6.75
	7801	SOCKET HEAD Cap screw, 4-40 X 5/8", aluminum	8	2.50	П	a,u	7411	T3		0.75
_	7842	WIDE FRONT WHEEL, one piece, lightweight	nr	7.00	11	a,b	6425	SHOCK BODY, front, 1.02" gold anodized,	1	6.75
	7842B	TRUCK FRONT WHEEL, 1 piece, 2.2", black	pr	7.00	11			fits all trucks	Ē.,	
c	7842Y	TRUCK FRONT WHEEL, 1 piece, 2.2",	pr	7.00	11	all	6428	NEW SHOCK END CAP, molded composite	1	2.25
		florescent yellow	ρ.	1.00	П			(standard on all new kit models)		
a,b	6599	FRONT WHEEL BUSHING, 3/16" X 3/8",	4	2.00	11			GRAY. ASSOCIATED'S NEW RACING		
	CHACON-SK	unflanged			П			SHOCKS (#6431-#6436) ARE HARD		
C	6906	FRONT WHEEL BEARING 3/16" X 3/8"	pr	13.00	П			ANODIZED AND TEFLON COATED OVER		
		unflanged			41			PRECISION MACHINED SHOCK BODIES FOR LONG WEAR AND SUPERIOR		
С	7875	FRONT TIRE, ProLine XTR compound	pr	17.95	П			PERFORMANCE.		
	7070	"Edge" pattern w/foam inserts. 2.2"		16.95	11	С	7408	SHOCK KIT, rear, 1.39" body w/1.32" shaft,	pr	30.00
a,b	7876	FRONT TIRE, Proline XTM compound "Edge pattern. 2.2". Replaces #7870 front tires	pr	10.95	П			hard andozied Teflon sealed, fits T3		
					11	С	6432	SHOCK KIT, front, 1.02" body & shaft, hard	pr	30.00
		BALL BEARINGS			П			anodized Teflon sealed, fits all trucks		
		0 0 0 0			H	С	7410	SHOCK BODY, rear, 1.39" hard anodized	1	8.50
	1 flanged	$\bigcirc$ $\bigcirc$ $\bigcirc$ $\bigcirc$ $\bigcirc$ $\bigcirc$ $\bigcirc$	) (	$\bigcirc$	Н	_	6406	Teflon sealed, fits T3		0.50
	unflange	ed 6589 6901 6902		7359	П	С	6436	SHOCK BODY, front, 1.02" hard anodized Teflon sealed, fits all trucks	*	8.50
A		bearing bearing bearing bear	ing l	bearing	Н	all	6428	NEW SHOCK END CAP, molded composite	1	2.25
		bearing			П		3.133	(standard on all new kit models)		
					11			PARTS FOR ALL SHOCKS		
abc	7700	COMPLETE BALL BEARING KIT, 16 ball	16	95.00	П	all	5407	RED SILICONE "O" RINGS only	8	2.00
		bearings for transmission, front wheels and				all	6469	O-RINGS (black) shock end cap-to-body seal	4	1.50
all	6589	rear hubs. For 3/16" rear axles only	Dr.	13.00	1	all	6440	REBUILD KIT, for RACING style shocks (for	set	4.00
all	6901	BALL BEARING, 5/32" X 5/16" unflanged  BALL BEARING, 3/16" X 5/16" unflanged	pr	13.00	11		6177	4 shocks)		
un	6902	BALL BEARING, 3/16" X 5/16" flanged	pr	15.00	11	all	6429	SHOCK ASSEMBLY TOOL	1	1.00
all	6903	BALL BEARING, 3/8" X 5/8" unflanged,	pr	20.00	11	all	6465	SHOCK PISTON, 4 each of #1, #2 & #3 to	12	3.00
	navent.	Teflon sealed			H	all	6458	adjust dampening SHOCK SHAFT 1.32" Stroke, rear	1	3.00
all	6906	BALL BEARING, 3/16" X 3/8" unflanged	pr	13.00		all	6459	SHOCK SHAFT 1.02" Stroke, front	1	3.00
all	7359	BALL BEARING, 1/4" X 3/8" unflanged	pr	15.00		Sali .	6416	UNOBTAINIUM SHOCK SHAFT 1.32"	1	6.00
								Stroke, rear		
							6417	UNOBTAINIUM SHOCK SHAFT 1.02"	1	6.00
								Stroke, front		
						all	6466	SHOCK DOWNSTOPS, (travel limiters),4 ea.	set	1.50
								of 3 sizes 1/8" (.125"), 1/16" (.062") and 1/32"		
						ell.	7017	(.031"). Also used as hub carrier spacers.	_	0.00
						all	7217 6439	SHOCK END CARS aluminum black	2	3.00
							0409	SHOCK END CAPS, aluminum, black anodized		3.00
		discount item.				- 4-		FMAR WORLD CHAMPIONS!		

<sup>\*</sup>non-standard discount item.

p.C

used by	part #	description	qty	price	used by	part #	description
					. —		
all	6474	SPRING CLAMP & CUP, 4 sets	4	3.00		6678	20 TOOTH, 48 PITCH
	8846	SHOCK PRE-LOAD SPACERS, four sizes		3.00	╌	6679	21 TOOTH, 48 PITCH
all	6473	SHOCK BUSHING	4	1.00	-	6680	22 TOOTH, 48 PITCH
all	6927	SOCKET HEAD Cap screw, 4-40 X 3/4"	6	2.00	-	6681	23 TOOTH, 48 PITCH
all all	6918	BUTTON HEAD Socket Screw, 4-40 X 1/2"	6	2.00	<del>  -                       -                       -                       -                       -   -       -     -  </del>	6682	24 TOOTH, 48 PITCH
all	7413 6936	BUTTON HEAD Socket Screw, 4-40 x ¾" ALUMINUM WASHER, #4	10	1.00	-	6683 6684	25 TOOTH, 48 PITCH 26 TOOTH, 48 PITCH
all	6222	SELF-THREADING NYLON LOCKNUT, fits	8	2.00	1	0004	
<b></b>	0222	4-40 and 5-40 screw sizes.		2.00	П		PRECISION
all	6295	NUTS, 4-40, 6 each plain, lock, and nylon	18	2.00	] [		<b>MACHINED 48 PITCH</b>
		SHOCK OILS					PINION GEARS
		_				8252	15 TOOTH, 48 PITCH
						8253	16 TOOTH, 48 PITCH
						8254	17 TOOTH, 48 PITCH
		M. M.				8255	18 TOOTH, 48 PITCH
						8256	19 TOOTH, 48 PITCH
						8257	20 TOOTH, 48 PITCH
			1,17			8258	21 TOOTH, 48 PITCH
	5412	SHOCK OIL, 50 wt. 1 ounce bottle	1	1.25		8259	22 TOOTH, 48 PITCH
	5413	SHOCK OIL, 40 wt. 1 ounce bottle	1	1.25		8260	23 TOOTH, 48 PITCH
	5414	SHOCK OIL, 30 wt. 1 ounce bottle	1	1.25		8261	24 TOOTH, 48 PITCH
	5415	SHOCK OIL, 20 wt. 1 ounce bottle	1	1.25	1	8262	25 TOOTH, 48 PITCH
	5416	SHOCK OIL, 10 wt. 1 ounce bottle	1	1.25	]	8263	26 TOOTH, 48 PITCH
	5420	SILICONE SHOCK OIL, 10 wt. 2oz. bottle	1	3.50	11		PRECISION SPUR
	5427	SILICONE SHOCK OIL, 15 wt. 2oz. bottle	1	3.50	11		<b>GEARS FOR STEALTH</b>
	5421	SILICONE SHOCK OIL, 20 wt. 2oz. bottle	1	3.50	11		GEARS FOR STEALTR
	5428	SILICONE SHOCK OIL, 25 wt. 2oz. bottle	1	3.50	11		TRANNY no dif holes
all	5422	SILICONE SHOCK OIL, 30 wt. 2oz. bottle	1	3.50		6568	SPUR GEAR SCREWS, 4-40 x 3/16"
	5429	SILICONE SHOCK OIL, 35 wt. 2oz. bottle	1	3.50	41		BHSScrew
	5423	SILICONE SHOCK OIL, 40 wt. 2oz. bottle	1	3.50		6693	81 TOOTH, 48 PITCH
	5425	SILICONE SHOCK OIL, 80 wt. 2oz. bottle	1	3.50		6694	85 TOOTH, 48 PITCH
		PRECISION RACING			all	6695	87 TOOTH, 48 PITCH
		SPRINGS				6697	83 TOOTH, 48 PITCH
			_		-		PRECISION SPUR
		Order of springs from top to bottom: soft to firm			Ш		<b>GEARS for Standard</b>
	7426	TRUCK FRONT RACING SPRING, black	pr	2.50	] [		
all	7427	TRUCK FRONT RACING SPRING, green	pr	2.50	] [		or Stealth Tranny
all	7428	TRUCK FRONT RACING SPRING, silver	pr	2.50	11		w/dif ball holes
all	7429	TRUCK FRONT RACING SPRING, blue	pr	2.50	1	8280	75 TOOTH, 48 PITCH
all	7425	TRUCK FRONT RACING SPRING, gold	pr	2.50	<b>↓</b>	8281	78 TOOTH, 48 PITCH
all	7430	TRUCK FRONT RACING SPRING, red	pr	2.50	+	8282	81 TOOTH, 48 PITCH
all	6481	TRUCK & BUGGY REAR RACING SPRING,	pr	2.50		8283	83 TOOTH, 48 PITCH
cll	0400	black TRUCK & BUCCY DEAD BACING SPRING	- 22	0.50	+	8284	85 TOOTH, 48 PITCH
all	6480	TRUCK & BUGGY REAR RACING SPRING, green	pr	2.50		8285	87 TOOTH, 48 PITCH
all	6478	TRUCK & BUGGY REAR RACING SPRING, silver	pr	2.50			ELECTRICAL 6742 n
all	7434	TRUCK & BUGGY REAR RACING SPRING, blue	pr	2.50		<b>⇒</b>	
all	7435	TRUCK & BUGGY REAR RACING SPRING,	pr	2.50	652		
		gold					
all	7436	TRUCK & BUGGY REAR RACING SPRING, red	pr	2.50	3719	, 3720	
		STOCK 48 PITCH				3505 6743 6745	
		PINION GEARS	,		41		
	6672	13 TOOTH, 48 PITCH	1	4.00	11		
	6673	15 TOOTH, 48 PITCH	1	4.00	41		
b	6674	16 TOOTH, 48 PITCH	1	4.00	-		
	6675	17 TOOTH, 48 PITCH	1	4.00	$\Box$		
	6676	18 TOOTH, 48 PITCH	1	4.00	1	356	

4.00

6677

19 TOOTH, 48 PITCH

price

4.00

4.00

4.00 4.00 4.00

4.00

6.00

6.00

6.00

6.00

6.00 6.00

6.00 6.00

1.50

4.00

4.00

4.00

4.00 4.00 4.00

4.00

4.00


qty

<sup>\*</sup>non-standard discount item.



<sup>\*</sup>non-standard discount item.

\*\* denotes net or short discount.



<sup>\*</sup>non-standard discount item.

	part #	description	qty	price	used by	part #	description	qty	pric		
		commutator. Laydown brush style. With ball					BATTERY				
_	445	bearing installed.		24.00	ACCESSORIES						
	445	MODIFIED MOTOR CAN. Replace worn out and demagnetized cans for new ones.	1	24.00							
		Yokomo can with 4.9 magnets and ball	1 1		$\vdash$	650	BATTERY BRAID STRIPS		1.50		
		bearing installed.				651	REEDY BATTERY BARS, silver treated battery bars for assembling individual cells	6	4.00		
	446	SHIM KIT, fifteen precision shims for spacing	15	2.50	1 1		into packs. Low electrical resistance for more		1		
		armatures. Five each of .010", .005", & .003"					power. Higher strength reinforces		1		
		sizes. Comes with instructions. Will also fit any 1/8" shaft or pin for removing excess end					construction of your pack. Soldering is easier				
						652	BATTERY POWER CONNECTOR PINS.	5pr	10.		
	1.	play.					Eliminates hassle of soldering battery pack to		1		
REEDY NI-CAD BATTERIES				radio leads. Quick connect/disconnect							
				REEDY T-SHIRT							
				Ī	See Associated's Pictorial Catalog for full-						
		MEETERS I		- 1		SP-37	color pictures of all items below				
/	$\overline{}$					SP-3/	REEDY FIRE HAWK T-SHIRT. Fluorescent orange "Fire Hawk" and white Reedy logo on	15	11.		
_		1 K3 MO MOVERY	1				black T-shirt. Printed both sides. Specify XL				
	,		//	s			only		1		
	/	11/2/2/2010		(S		SP-37	REEDY FIRE HAWK T-SHIRT. Fluorescent	1	13		
/	HIV		_			XXL	orange "Fire Hawk" and white Reedy logo on				
_		OLTAGE PERFORMANCE BATTERIES					black T-shirt. Printed both sides. Specify XXI		1		
							REEDY BODY	_	_		
_		REEDY ZAPPERS BATTERIES					ACCESSORIES				
_		REEDY ZAPPERS BATTERIES with NEW			-	744		140	170		
		Voltage Maximizing Technology jointly		- 1		711	REEDY CAR WASH. Great for cleaning gas	12	72		
		developed and used exclusively by Reedy		- 1			and electric cars and bodies. Lexan safe and biodegradable. Not for electrical components		1		
		Modifieds and Team Orion	_				4 oz. bottles sold in cases of 12 only. Price	9			
	640	REEDY NOVA ZAPPERS, unmatched &	6	65.00			reflects \$6.00 per bottle. (Purchase individua	il I			
		unassembled 6-cell. Each cell goes through special high voltage treatment process, giving					bottles at your hobby shop or race track.)				
		you high voltage cells in a sport pack.				717	REEDY MODIFIED DECALS, 1995 style	1	2.5		
_	642	REEDY ZAPPERS, cycled & matched,	6	90.00			Reedy Logo, 3 sizes in both black and white				
	0.2	unassembled 6-cell with high voltage	ľ				(5.5" x 8.5" sheet)	-	-		
		processing. Recommended for stock class				718	REEDY MODIFIED DECALS, 1995 style	1	3.		
		racing and four minute off road racing.					Reedy Logo, 3 sizes in both fluorescent red and green (5.5" x 8.5" sheet)				
	643	REEDY ZAPPERS, cycled & matched unassembled 7-cell with high voltage	7	105.00							
		processing.			-	HARDWARE & TOOLS  The following fasteners include parts not		_			
			6								
_	644	REEDY WC ZAPPERS, cycled & matched		120.00	1			C			
	644	premium unassembled 6-cell w/high voltage	ľ	120.00			standard on the RC10T. These are included to meet any needs for custom installations.	N.			
	644	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval		120.00			standard on the RC10T. These are included	ľ			
	100000	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.					standard on the RC10T. These are included to meet any needs for custom installations. Fasteners are listed in this order: Button Head, Flat Head, Socket Head,	(			
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched,	6	Was			standard on the RC10T. These are included to meet any needs for custom installations. Fasteners are listed in this order:				
	100000	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great		Was 90.00			standard on the RC10T. These are included to meet any needs for custom installations. Fasteners are listed in this order: Button Head, Flat Head, Socket Head,				
	100000	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched,		Was			standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order:  Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.				
	100000	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great		Was 90.00 <b>NOW</b>			standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.	Ш			
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT.	6	Was 90.00 NOW 75.00 Was 115.00			standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order:  Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.	Ш			
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road	6	Was 90.00 NOW 75.00 Was 115.00 NOW			standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket h	Ш			
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00			standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	Ш			
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00		6011	standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	Ш	To.		
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00		6911	standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	Ш	9.		
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled.	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW			standard on the RC10T. These are included to meet any needs for custom installations. Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head	EE 1			
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00		6911 7299	standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	EE 1			
	645 646	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.  NOVA SERIES 1700 mAH SCRC	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW 110.00			standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	1 1 3 1	9.		
	645	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT.  Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.  NOVA SERIES 1700 mAH SCRC  NOVA, 6 cell matched unassembled pack,	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW		7299 7658	standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	1 3 1 () 6	8.		
	645 646	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT.  Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.  NOVA SERIES 1700 mAH SCRC  NOVA, 6 cell matched unassembled pack, 1700 mAH SCRC-SP cells, for off road or	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW 110.00		7299	standard on the RC10T. These are included to meet any needs for custom installations. Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head Socket head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket	1 3 1 () 6	8.		
	645 646	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT.  Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.  NOVA SERIES 1700 mAH SCRC  NOVA, 6 cell matched unassembled pack,	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW 110.00		7299 7658	standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket hea	1 3 1 () 6	8.		
	645 646 647	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT.  Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.  NOVA SERIES 1700 mAH SCRC  NOVA, 6 cell matched unassembled pack, 1700 mAH SCRC-SP cells, for off road or club level on road.	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW 110.00		7299 7658 6280	standard on the RC10T. These are included to meet any needs for custom installations. Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head, from short length to long, 4-40 to 8-32.  LIGHTWEIGHT ALUMINUM & NYLON HARDWARE  ALUMINUM lightweight screw set for LOSI XX Buggy or Truck (blue anodized)  ALUMINUM lightweight screw set for RC10T Truck, 26 screws (blue anodized)  ALUM. FLAT HEAD MACHINE screw, (black 8-32 X 3/8"  ALUM. FLAT HEAD Machine Screw, 8-32 X 1/2"	1 1 3 1 6 16	8. 2. 2.		
	645 646 647	premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.  REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.  REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT.  Unassembled. Recommended for off road racing and stock class racing.  REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.  NOVA SERIES 1700 mAH SCRC  NOVA, 6 cell matched unassembled pack, 1700 mAH SCRC-SP cells, for off road or club level on road.  NOVA 7 cell matched unassembled pack, 1700 mAH SCRC-SP cells, for off road or club level on road.	6	Was 90.00 NOW 75.00 Was 115.00 NOW 90.00 Was 130.00 NOW 110.00		7299 7658 6280	standard on the RC10T. These are included to meet any needs for custom installations.  Fasteners are listed in this order: Button Head, Flat Head, Socket Head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head Socket head, from short length to long, 4-40 to 8-32.  Button head Flat head Socket head Socke	1 1 () 6 16 6	8. 2. 2.		

<sup>\*</sup>non-standard discount item.

.00

used by	part #	description	qty	price	used by	part #	description	qty	price			
		Furance	_									
_	0000	1/4"	-	0.00	-	7700	special SOCKET LIEAD CAD Community A 40 V 7/01		4.00			
	6933	ALUM. FLAT HEAD Socket Screw, 4-40 X 5/16*	6	2.00	I	7738 6928	SOCKET HEAD CAP Screw, 4-40 X 7/8* SOCKET HEAD Cap Screw, 4-40 X 1*	6	2.00			
	6934	ALUM. FLAT HEAD Socket Screw, 4-40 X	6	2.00		6951	SET SCREWS & WRENCH, 4-40 X 1/8"	6	2.50			
	0001	3/8*		2.00		0001	TOOLS	10	2.00			
	6938	ALUM. FLAT HEAD Socket Screw, 4-40 X 1/2"	6	2.00								
	6284	ALUM. SOCKET HEAD Cap Screw, 4-40 X 1/4"	12	4.00		6950 (3/	6950 (5/64"),1 6950 (1/16"),1	-				
	4145	ALUM. SOCKET HEAD Cap screw, 4-40 X 5/16"  BE ALUM. SOCKET HEAD Cap Screw, 4-40 X 3/8"		1.50			6950 (.050*),1					
	6860			2.50			6955		_			
	7873			2.50		6964, 69	6957, 6958, 6959, 6960, 6961, 6	962	1			
	7801	ALUM. SOCKET HEAD Cap Screw 4-40 X 5/8"	8	2.50	6967, 6968, 6969							
	6935	ALUM. SOCKET HEAD Cap screw,4-40 X 1"	4	3.00								
	6936	ALUMINUM WASHER, #4	_	1.00		(						
	3323	ALUMINUM WASHER, #8, thick	12	1.50		_	(0)					
	3438	ALUMINUM LOCKNUT, 8-32	3	1.50			6956					
	4184	NYLON LOCKNUT, 4-40	6	1.00		CD 70	MUT DOWED 2/01	1.	7 50*			
	4185	NYLON LOCKNUT, 8-32	6	1.00			NUT DRIVER, 3/8" NUT DRIVER, 1/4"	1	7.50* 7.50*			
	4449	ALUMINUM LOCKNUT, 4-40, small pattern	5	2.50	l —		NUT DRIVER, 1/4 NUT DRIVER, 3/16"	1	7.50			
_		(gold anodized) lightweight	-		-	6950	ALLEN WRENCH SET, .050", 1/16", 5/64" &	set				
	6222	NYLON LOCKNUT, self threading fits 4-40 & 5-40 threads	8	2.00		0930	3/32"	Set	2.50			
	6937	ALUMINUM LOCKNUT, 4-40, blue anodized	6	3.00	- 7	6955	SHOCK WRENCH SET (and ball joint splitter)	1	2.50			
		STANDARD SCREWS				6956	ASSOCIATED MOLDED TOOL SET.	set	4.50			
	3216	FLAT WASHER, #4, steel	12	1.00	11		Wrenches to install 11/32", ¼", and 3/16"		1			
	3721	SELF-TAPPING SCREW, #2 x 1/4"	12	1.00	1		nuts, adjust 1/8" and 3/16" turnbuckles, and		1			
	6242	LOCKNUT, 4-40, steel	6	1.00	l	0057	install and remove Associated shock caps.	-	10.50			
	6295	NUTS, 4-40, 6 each plain, lock, and nylon	18	2.00		6957	.050" ALLEN DRIVER, precision ground	3	10.50			
	6296	NUTS, 8-32, 6 each locking and nylon	12	3.00			replaceable tip, alum. Hex handle (clear anodized)					
	7260	NUTS, 4-40, plain, small pattern	12	2.00		6958	1/16" ALLEN DRIVER, precision ground	1	10.50			
	6568	BUTTON HEAD Socket Screw, 4-40 x 3/16" for spur gear mounting	4	1.50		0000	replaceable tip, alum. Hex handle (black anodized)		10.00			
	6920	BUTTON HEAD Socket Screw, 4-40 X 3/16"	6	2.00		6959	5/64" ALLEN DRIVER, precision ground	1	10.50			
	6288	BUTTON HEAD Socket Screw, 4-40 X 1/4"	6	2.00	] [	0000	replaceable tip, alum. Hex handle (blue		10.00			
	6919	BUTTON HEAD Socket Screw, 4-40 X 5/16"	6	2.00			anodized)					
	6917	BUTTON HEAD Socket Screw, 4-40 X 3/8"	6	2.00		6960	3/32" ALLEN DRIVER, precision ground	1	10.50			
	6918	BUTTON HEAD Socket Screw, 4-40 X 1/2"	6	2.00	11		replaceable tip, alum. Hex handle (gold					
	7633	BUTTON HEAD Socket Screw, 4-40 X 5/8"	6	2.00			anodized)	_				
_	7413	BUTTON HEAD Socket Screw, 4-40 x ¾"	6	2.00	11	6961	2.5mm ALLEN DRIVER, precision ground	1	10.50			
_	6291	FLAT HEAD Socket Screw, 4-40 X 1/4"	6	2.00	11		replaceable tip, alum. Hex handle (green anodized)					
_	7673	FLAT HEAD Socket Screw, 4-40 X 5/16"  FLAT HEAD Socket Screw, 4-40 X 3/8"	6	2.00	1	6962	1.5mm ALLEN DRIVER, precision ground	1	10.50			
-	6292 6922	FLAT HEAD Socket Screw, 4-40 X 3/6  FLAT HEAD Socket Screw, 4-40 X 1/2"	6	2.00	11	0302	replaceable tip, alum. Hex handle (purple	1	,0.50			
	4519	FLAT HEAD Socket Screw, 4-40 x 1/2  FLAT HEAD Socket Screw, 4-40 x 9/16"	6	2.00	1		anodized)					
	6915	FLAT HEAD Socket Screw, 4-40 x 5/8"	6	2.00		6964	.050 REPLACEMENT TIP, precision ground	1	5.50			
	6923	FLAT HEAD Socket Screw, 4-40 X 3/4"	6	2.00		6965	1/16" REPLACEMENT TIP, precision ground	1	5.50			
	7672	FLAT HEAD Socket Screw, 4-40 X 7/8"	6	2.00		6966	5/64" REPLACEMENT TIP, precision ground	1	5.50			
	6931	FLAT HEAD Machine Screw, 8-32 X 1/4"	6	1.00		6967	3/32" REPLACEMENT TIP, precision ground	1	5.50			
	6285	SOCKET HEAD Cap Screw, 4-40 X 1/4"	12	2.00	1	6968	2.5mm REPLACEMENT TIP, precision	1	5.50			
	6932	SOCKET HEAD Cap Screw, 4-40 X 5/16*	6	2.00	1 📖		ground					
	6924	SOCKET HEAD Cap Screw, 4-40 X 3/8"	6	2.00	]	6969	1.5mm REPLACEMENT TIP, precision	1	5.50			
	6929	SOCKET HEAD Cap Screw, 4-40 X 3/8" with hole	4	2.50	├─		MISCELLANEOUS					
	7874	SOCKET HEAD Cap Screw 4-40 X 7/16"	8	2.50	1 ├──							
	6925	SOCKET HEAD Cap Screw, 4-40 X 1/2"	6	2.00	1 —		CAR & EQUIPMENT CARRIER					
	6916	SOCKET HEAD Cap Screw SPECIAL with	4	2.00	]		See Associated's Pictorial Catalog for pictures					
		hole, 4-40 x 1/2"				SP-	ASSOCIATED CAR CARRIER BOX,	1	15.00			
	6926	SOCKET HEAD Cap Screw, 4-40 X 5/8"	6	2.00	11	100	cardboard outer box w/locking end flap (fits					
	6927	SOCKET HEAD Cap Screw, 4-40 X 3/4*	6	2.00	11		inside #SP-415 carrier bag), includes three					
	6930	SOCKET HEAD Cap Screw, 4-40 X 3/4"	6	2.00	1 1		24" X 12" X 6" inner boxes. Due to its large	-	-			

<sup>\*</sup>non-standard discount item.

used part # description   qty price   used part # description   by	qty pri	price
--	---------	-------

		size, an additional \$15.00 must be added to		
		UPS standard shipping charges	_	
	SP-	INNER BOXES 24" x 12" x 6" (replacement	3	5.25**
	101	cardboard inner boxes for car carrier box)		
	SP-	ASSOCIATED CAR CARRIER BAG, black	1	39.95**
1	415	nylon w/brass zipper. Fits #SP-100 car carrier		
		box		
		WEARABLES		
		See Associated's Pictorial Catalog for full-		
$\vdash$		color pictures		
	SP-38	ASSOCIATED B2 T-SHIRT. Full color	1	11.00*
		RC10B2 design on front and back. Specify M,		
		L, XL only.	_	
1	SP-38	ASSOCIATED B2 T-SHIRT. Specify size	1	13.00*
	XXL	XXL.	_	
	SP-40	RC10DS T-SHIRT, NEW for 1997. Full color	1	13.00*
		RC10DS cars with 2 TransAm and 2 DTM		
1		bodies. Same design both sides. Specify		
		sizes M, L, XL		
	SP-40	RC10DS T-SHIRT, NEW for 1997. Full color	1	15.00*
1	XXL	RC10DS cars with 2 TransAm and 2 DTM		
ı	00/10/00	bodies. Same design both sides. XXL size		1
		only		
	SP-39	RC10DS T-SHIRT, Full color of RC10DS	1	11.00*
	100000000000000000000000000000000000000	cars. Same design both sides. Specify sizes	(0)	1.0000000000
1		M, L, XL		
	SP-	TEAM ASSOCIATED JACKET, red, white &	1	59.95**
1	410	blue. Fully lined. Specify M, L, XL, XXL,		185,300,000
		XXXL		
		VIDEOS		
		See Associated's Pictorial Catalog for full-		
		color pictures		
	6976	VHS VIDEO, "R/C Car Racing '94".	1	19.95
1		Highlights from some of 1994's greatest		
1	_	races.		
$\vdash$	6977	VHS VIDEO, *R/C Car Racing '95*.	1	19.95
	1222000	Featuring highlights from 1995's most exciting	1	1000000
1		races from around the world!	1	1
	6978	VHS VIDEO, "R/C Car Racing '96".	1	19.95
1	00.0	Featuring highlights from 1996's most exciting	1	10.00
1		races from around the world!	1	
$\vdash$	6978P	PAL VIDEO, "R/C Car Racing '96". Featuring	1	19.95
1	0070	highlights from 1996's most exciting races	1	10.00
1		from around the world!		1
$\vdash$	6070		1	19.95
	6979	VHS VIDEO, "R/C Car Racing '97". Highlights	1'	19.95
		from some of 1997's greatest races. IFMAR	1	1
$\vdash$	00705	World Championship footage not included.	-	10.05
	6979P	PAL VIDEO, "R/C Car Racing '97". Highlights	1	19.95
1		from some of 1997's greatest races. IFMAR	1	1

World Championship footage not included.





TRUCK WORLD CUP 1994/1995

